#### Publication of Unexamined Utility Model Application

Publication Number: \$ 59-728

### Container

A container for loading materials and for storing them in shelves characterized in that a U-shaped baseplate having stopper plates for preventing cargo collapsing is fixed on the underframe of the container, near the both end of the stopper plate, an arm is fixed with a roller, the roller is fixed at a point which is the same level as the bottom of the underframe or is slightly higher than the bottom of the underframe, and a handle is fixed between two arms or on the stopper plate.

#### Explanation of marks in the Figure

1: underframe

4: baseplate

5,5a: stopper plate for preventing cargo collapsing

6∼6c: arm 7∼7c: roller 9,9a: handle

## **BEST AVAILABLE COPY**

⑩ 日本国特許庁 (JP)

①実用新案出願公開

## <sup>®</sup> 公開実用新案公報 (U)

昭59-728

DInt. Cl.3 B 65 D 6/00 19/42

識別記号

庁内整理番号 6552-3E 6552-3E

❸公開 昭和59年(1984)1月6日

審査請求 未請求

(全 2 頁)

ூコンテナ

②実 願 昭57—95873

❷出 願 昭57(1982)6月28日

⑩考 案 者 高橋征司

川崎市多摩区中野島1084番地株 式会社キトー内

人 株式会社キトー

川崎市多摩区中野島1084番地

四代 理 人 弁理士 木村三朗

## 砂実用新案登録請求の範囲

材料を積載しで掤へ格納するためのコンテナに おいて、


台枠上に、前後に立設した荷崩防止板を備えた コ字状の台板を固定し、前記荷期防止板の両側付 近にそれぞれアームを固定して該アームにその踏 面が前記台枠の底面と同一平面又は僅かに高い位 置にあるようにそれぞれローラを装着すると共に、

前記アーム間又は荷崩防止板にそれぞれ取手を固 定したことを特徴とするコンテナ。 図面の簡単な説明


第1図は本考案実施例の平面図、第2図は正面 図、第3図は側面図、第4図は本考案実施例要部 の側面図、第5図はその正面図である。

1:台枠、4:台板、5, 5a:荷崩防止板、6~ 6 c:アーム、7~7 c:ローラ、9、9 a:取手。

第1図



第2図



第3図

# BEST AVAILABLE COPY

